

LKW BELADUNGSVORSCHRIFT: LADELÄNGE

TRUCK LOAD REGULATION: LOAD LENGTH



TV-65 | 03.06.2020



LKW Beladungsvorschrift / Truck Load Regulation | TV-65 | 03.06.2020



Rolls-Royce
Motor Cars Limited

Seite 1

LKW BELADUNGSVORSCHRIFT: LADELÄNGE

TRUCK LOAD REGULATION: LOAD LENGTH

Diese Vorschrift gilt für folgende LKW-Ladungen

1. LKW Ladungen ex deutscher Werke in den Markt Deutschland.
2. LKW Ladungen ex deutscher Werke ins EU Ausland.
3. LKW Ladungen ex EU-Werke und allen Häfen in den Markt Deutschland **oder durch Deutschland.**

English version


This regulation is valid for the following loads

1. Truck loads going from our German plants to German destinations.
2. Truck loads going from our German plants to EU destinations.
3. Truck loads from our EU (outside Germany) based plants and all ports **to or through Germany.**

LKW BELADUNGSVORSCHRIFT: LADELÄNGE TRUCK LOAD REGULATION: LOAD LENGTH

Für den Fahrer
Kann ausgehändigt werden!
For the drivers
To be handed out!

Schematic illustration of the system
Schematische Darstellung der Systeme



LKW BELADUNGSVORSCHRIFT: LADELÄNGE TRUCK LOAD REGULATION: LOAD LENGTH



Rechtsgrundlagen

- §16(1) StVZO
- EU Richtlinie 97/27/EG vom 22.06.1997
- EU Richtlinie 2007/46/EG vom 05.09.2007
Verordnung (EU) Nr. 1230/2012 vom 12.12.2012
- § 32 StVZO
- § 31d (1) StVZO

Legal foundation

- §16(1) StVZO Germany
- EU Regulation 97/27/EG from 22.06.1997
- EU Regulation 2007/46/EG from 05.09.2007
enactment (EU) no. 1230/2012 from 12.12.2012
- § 32 StVZO
- § 31d (1) StVZO Germany

Bildmaterial gem. VDA
Pictures acc. VDA

Der blaue Pfeil links zeigt die ausgezogene Kolbenstange, diese darf nicht von A bis B ausgezogen werden
The blue arrow to the left shows the extended hydraulic cylinder this must not be extended from A to B